

Virtual globe field trips for the classroom

Amii Darnell, Andrew Lovett, Jenni Turner






Google Earth as a tool in Higher Education

- Visualisation and exploration
- Research presentation and outreach
- Collaborative research
- Spatial education











































BGS solid geology layer



Screen Overlays



3D cross-section

map

1. Draw 2D cross-section from (regional) solid geology


Upper Chalk Middle Chalk Lower Chalk Gault (lateral equivalent to the Red Chak) Carstone Snettisham Clay Leziate Bed Mintyl Bed Roxham /Runcton Bed Kimmeridge Clay Bevation (m) 62, 21 79, 22

From BGS 1: 50000 sheets 145, 156

Google SketchUp


- 2. Get current view into Google SketchUp
- 3. Draw to scale

File> Export>
 3D Model



Animating cross-section

- 5. Give negative altitude
- File> Export>3D Model
- 7. Scripting...



Touring and animation



demo>

Conclusions

Positive feedback

More outreach

Set problems/ tasks in tours



Outreach, May 2011

http://www.uea.ac.uk/env/research/reshigh/gaywood

Search: "Gaywood Valley Google Earth"

Acknowledgements



Thanks for your interest in the Gaywood Valley Project.
For more information, please contact Gemma Clark,
Gaywood Valley Project Officer at
Norfolk County Council. Or visit the SURF website at
www.sustainablefringes.eu

This tour was developed by Amii Darnell, Andrew Lovett and Jenni Turner, University of East Anglia, with help from Tim Holt-Wilson, Norfolk Geodiversity Partnership.



Rivers and flood map are based upon Ordnance Survey data © Crown Copyright/database right 2011.

An Ordnance Survey/EDINA supplied service: Cross-section and stratigraphy based upon
BGS 1:50 000 Provisional Series, with the permission of the British Geological Survey.

References

- De Paor D G and Whitmeyer S J (2011). Geological and geophysical modelling on virtual globes using KML, COLLADA and Javascript. *Computers & Geosciences*, 37(1), 100-110.
- Paraskevas T (2011). Virtual globes and geological modeling. International Journal of Geosciences, 2, 648-656.
- Patterson T C (2007). Google Earth as a (not just) geography education tool. *Journal of Geography*, 106(4), 145-152.
- Schultz R B, Kerski JJ and Patterson T C (2008). The use of virtual globes as a spatial teaching tool with suggestions for metadata standards. *Journal of Geography*, 107(1), 27-34.
- Sheppard S R J and Cizek P (2009). The ethics of Google Earth: crossing thresholds from spatial data to landscape visualisation. Journal of Environmental Management, 90, 2102-2117.
- Walsh, G J (2009). A method for creating a three dimensional model from published geologic maps and cross sections. *USGS Open File Report*, 2009-1229, p16.
- Wernecke J (2009). *The KML handbook: geographic visualisation for the web.* Addison-Wesley, Upper Saddle River, NJ 368pp.